

End to End
Solution for Grain
Milling & Processing
Industry

Get your
BUSINESS 2X
with our Hi-Tech Machines
in 6 months

We are available in, USA, UAE, Turkey
Europe, Africa, Benin & Bangladesh



SHINER MACHINERY PVT. LTD. was established in August 2017 and in year 2018 we started manufacturing food processing machines under the Brand name "**SHINER**",

Our aim is to provide extraordinary solutions for all food /seed processing industries (Rice, Pulses, Seed, Spices Processing Plant & Scientific Laboratory Equipments) offering a comprehensive range of innovative products, thereby providing complete customer satisfaction through quality. Our mission is to expand our presence in the entire world with our best quality products and customer satisfaction.

Our Infrastructure

Land Area 25,000 Sq. Feet



Amada Hydraulic Press Bending Machine

Machineries



Amada Turret Press Punch Machine -25T



Laser Machine



Drill & Tapping Machine

Plant & Machineries

- CNC Turret Punch Press (EM 2510 N-44 Station), Japan
- CNC Bending Machine (RG-80-2.5M Bed Size), Japan
- Laser Machine
- Utilities Compressor - U.P.S., Generator (125KV)
- Fabrication Machineries
- Mig Welding Machines
- Spot Welding Machines
- Profile Cutting Machines
- Drill Machines
- Powder Coating Plant with Shot Blasting
- Complete In House Processing
- Testing and control activities at every stage of production
- In House Store of Buffer Stock for Raw Material & Finished Goods.



Lathe Machine



Bending Machine Hindustan Hydraulics



Spot Welding Machine



Powder Coating



Surface Grinder

We maintain the Quality Management System as per International Standard ISO 9001 : 2015 and ISO 14001 : 2015

ON TIME DELIVERY

REDUCTION IN
CUSTOMER COMPLAINT

REDUCTION IN
REJECTION

TO IMPROVE THE
BUSINESS



PROMPT
CUSTOMER
SERVICE &
CUSTOMER
SATISFACTION

Paddy to Rice Milling Machinery




Paddy Cleaner

Application

Highly Efficient SHINER Cleaning Machine for Paddy.

Salient Features


- The machine is fitted with inlet feed rolls
- The aspiration chamber is fitted with one waste augur.
- The screen system consists of one sieve boat with 1 short scalping screen layer and 2 long grading /sand screen layers.
- The machine has an integral fan, fixed speed drive, and motor.
- The machine is of steel construction with sieve boat also in steel construction
- Eccentric shaft mechanism reduced breakdown.
- Top 2 sieves punched from CNC Machine zigzag holes high perforation area.



Specifications

Model No.	Capacity on Paddy	Fan motor	Sieve Boat Motor	No. of Sieve Boat	Dimension (L X W X H)
PEPL-600	1-2 TPH	3 HP	1 HP	1	3000mm x 1150mm x 2210mm
PEPC-900	3-4 TPH	5 HP	2 HP	1	3000mm x 1450mm x 2210mm
PEPC-1050	4-5 TPH	7.5 HP	2 HP	1	3000mm x 1600mm x 2210mm
PEPC-1200	5-7 TPH	7.5 HP	2 HP	1	3000mm x 1750mm x 2210mm
PEPC-1500	10-12 TPH	10 HP	3 HP	1	3000mm x 2050mm x 2210mm
PEPC-1500x2	16-20 TPH	10 HP	3 HP	2	3285mm x 2135mm x 3000mm

Rice Cleaner



Application

Highly Efficient SHINER Fine Cleaner for cleaning & grading of Rice.

Salient Features

- The machine is fitted with inlet feed rolls
- The aspiration chamber is fitted with one waste augur.
- The screen system consists of 1 sieve boat with 1 short scalping screen layer and 3 long grading /sand screen layers.
- The machine has an integral fan, fixed speed drive, and motor.
- The machine is of steel construction with sieve boat also in steel construction
- Eccentric shaft mechanism reduced breakdown.
- Top 2 sieves punched from CNC Machine zigzag holes high perforation area, better cleaning.

Specifications

Model No.	Capacity on Rice	Fan motor	Sieve Boat Motor	No. of Sieve Boat	Dimension (L X W X H)
PEFC-600	1-2 TPH	5HP	1 HP	1	3000mm x 1150mm x 2210mm
PEFC-900	3-4 TPH	7.5 HP	2 HP	1	3000mm x 1450mm x 2210mm
PEFC-1050	5 TPH	7.5 HP	2 HP	1	3000mm x 1600mm x 2210mm
PEFC-1200	6-7 TPH	10 HP	2 HP	1	3000mm x 1750mm x 2210mm
PEFC-1500	10-12 TPH	12.5 HP	3 HP	1	3000mm x 2050mm x 2210mm

Paddy & Rice Destoner

Application


Highly Efficient SHINER Destoner for separating the stone in Paddy & Rice.

Salient Features

- Efficient and precise separation of stone and heavy material by density difference.
- Fitted with two vibro motor for trouble free & long life with low noise operation.
- Provided with closed circuit dust/fines aspirator system.
- Separate collections of stone and dust particles from the aspirator.
- Sturdy rigid and heavy duty construction. Precise construction assures stone free paddies.
- Vibro motor assure noiseless , trouble free operations.
- Negligible loss of paddy.
- Self cleaning system for maximum operating efficiency.
- Remove immature grain along with other impurities.
- Powder Coated.
- High Tensile Hardware used for assembly.

Specifications

Model No.	Capacity on Paddy	Power Required	Dimension (L X W X H)
PEDS-900	3-4 TPH	0.5HP X 02 NOS	1645mm X 1105mm X 1950mm
PEDS-1050	5 TPH	0.5 HP X 02 NOS	1645mm X 1255mm X 1950mm
PEDS-1200	6-7 TPH	0.5 HP X 02 NOS	1645mm X 1405mm X 1950mm
PEDS-1500	8-10 TPH	1HP X 02 NOS	1645mm X 1705mm X 1950mm



Vibro Pneumatic Sheller



Application

Highly Efficient SHINER PNEUMATIC RUBBER SHELLER for De-Husking is good to work on raw, steamed, parbiled, and basmati rice

Salient Features

- Special vibro feeder arrangement to feed the paddy grain vertically between the two rubber rolls, Enhancement of rubber rolls life
- Infinite adjustment of degree of Hulling
- Roll movement both in Automatic and Manual mode
- Special cooling arrangement for rubber roll. Ease of maintenance.
- Heavy body ensures zero vibration and reduces chances of paddy breaking.

Specifications

Model No.	Capacity on Polly	Rubber Roll Size	Motor	Voltage Dimension	Overall	Approx Weight (kg)
PEVPS_3TPH/4TPH	3-4 TPH	10"x10"	10 HP / 12.5 HP	415 v/50 v/50 Hz	1470mm X 980mm X 1325mm	750 KG
PEVPS_5TPH	5 TPH	10"x12"	15 HP	415 v/50 v/50 Hz	1510mm X 985mm X 1385mm	800 KG


Husk Aspirator

Application

Highly Efficient SHINER Husk Aspirator for separating husk and brown rice.

Salient Features

- Compact size, requires small installation area.
- Sturdy rigid and heavy duty construction.
- Efficiently separation of husk and brown rice by density difference.
- Fan designed in stainless steel for a better life.



Specifications

Model No.	Capacity on Paddy	Motor	Voltage	Overall Dimension	Approx Weight (kg)
PEHA-4TPH	4 MT P/H	7.5 HP	415 v/50 Hz	2130X 1000 X 1110	550 KG

Paddy Separator

Application

Highly Efficient SHINER Paddy Separator for high capacity and efficient separation of paddy & brown rice.

Salient Features

- Oscillating tray type
- High output with adjustable stroke and inclination of tray
- Separation of three distinct classification. Paddy, mixed, Brown rice.
- Stainless steel tray to avoid wear & tear. Sensor for flow indication.



Specifications

Model No.	Power	Voltage Requirement	No. of S.S. Tray	Overall Dimension (L x B x H)	Approx Weight (kg)
PEPS-4TPH	3 HP	415 v /50 Hz	20	1750 x 1400 x 1500 mm	950 kg
PEPS-8TPH	5 HP	415 v /50 Hz	40	1750 x 2250 x 1800 mm	1350 kg

Rice Length Grader

Application


Highly Efficient SHINER Length Grader for Broken rice separation & rice tips separation.

Salient Features


- High accuracy separation of head rice from the mixed
- This machine can be used in broken rice separation of different length of rice.
- Easy maintenance and minimum operation cost
- Special Hard chrome plated cylinder also available.

Specifications

Model No.	Power Requirement	Voltage	Screen Length	Screen Diameter	Overall Dimension	Approx Weight (kg)
PELG_1TPH	1 HP	415 v /50 Hz	2285 MM	430 MM	3180mm x 710 mm x 795mm	400 kg
PELG_3TPH	2 HP	415 v /50 Hz	2920 MM	600 MM	4050mm x 1100 mm x 1250mm	850 kg



Rice Whitener



Application

Highly Efficient SHINER whitener is good to work on raw, Steamed, Parboiled, Boiled and Basmati rice.

Salient Features

- Ensures uniform and very high degree of Whiteness on all grains.
- This machine provided option of various adjustment like the flow and gap between screens & stones enables to uniform polish with less broken
- Vertically mounted silicon carbide grinding wheel assures higher Rice Yield and broken Reduction
- Imported Differential manometer for precise control of chamber Air pressure
- Sturdy, rigid and heavy duty construction. The quickly exchangeable screen frames with screen, grinding wheel
- Very high degree to whiteness higher rice yield
- Easy replacement of grinding wheel
- Indication of load on motor, easy to maintain, Does not require special foundation
- Double Aspiration System to ensure uniform removal of Bran.

Specifications

Model No.	Capacity on Paddy	Power Required	Voltage	No. of Grinding	Standard Grit Size	Overall dimension	Approx Weight	Store Size
PEWT-4TPH	4 TPH	30 HP	415 v /50 Hz	6	18, 24, 30	1450mm x 980mm x 1495mm	700 kg	250x170x60
PEWT-6TPH	6 TPH	40 HP	415 v /50 Hz	6	18, 24, 30	1600mm x 1115mm x 1720mm	1030 kg	310x210x70
PEWT-8TPH	8 TPH	60 HP	415 v /50 Hz	7	18, 24, 30	1670mm x 1180 mm x 1830mm	1200 kg	340x230x98

Rice Waterjet Polisher


Application

Highly Efficient SHINER Silky Polisher is used for silky shining on rice surface. It's good to work on raw, Steamed, Parboiled, Boiled and Basmati rice.

Salient Features

- Specially designed beaters for high degree of glazing
- The rice is polish by friction among their grain & removing the bran and dust particles and giving the rice luster finish
- Alloy steel feeding roll, cam rollers, and screen components are Surface hardened for durability and hygiene
- An automatic controlled moisture injection systems
- Most air & water is injected into the polishing chamber for uniform polishing of rice.
- Most air & water is injected for uniform polishing of rice.
- Two Chamber, 1st is mixing chamber & 2nd is polishing chamber.

Specifications



Model No.	Input Capacity (Paddy)	Power Required	Voltage	Overall Dimensions	Approx Weight
PESP 4T	4 Ton	50 HP, 60 HP	415 v / 50 Hz	2100 X 595 X 2430 mm	910 kg
PESP 8T	8 Ton	75 HP	415 v / 50 Hz	2250 X 700 X 2430 mm	1100 kg

Bran Centrifugal Machine



Application

SHINER Centrifugal has a very wider application. It is used for separation of left out rice tips from brawn, in rice mills.

Salient Features

- Nylon net in machine helps high quality powder get filtered and collected in a bag.
- There is a nylon brush to clean filter nylon net.
- This machine is made of heavy M.S. angle ,CRC sheet and EN8 shaft.
- The machine has high quality dust proof ball bearing and bearing housing.
- Our machine does not vibrate and so generates very little sound.
- The capacity of this machine depends on nylon net mesh and type of material.
- Low energy consumption

Specifications

Model	Capacity (Bran)	Power Required	Voltage	No. of Seat	Overall dimension (LxBxH)	Approx Weight
PECF 4T	0.7 MT P/h	3 HP	415 v /50 Hz	2	3000 X 1000 X 1525	600 kg
PECF 8T	1.2 MT P/h	5 HP	415 v /50 Hz	3	4000 X 1000 X 1525	850 kg

Cylindrical Sizer

Application

An extremely efficient system for separation of over sized and under sized grains. The machine is equally effective for grading of paddy as well as rice.

Salient Features

- Easy to install ,operate and maintain .
- Easy to change the cylindrical screen from front.
- Low power consumption.
- Precise separation of rejection size.
- Machine is duly Powder coated and hence resistant to rust and corrosion.

Specifications

Model	Capacity (ton/hr) Rice	Power Required	Voltage	No. of Cylinder	Overall dimension (LxBxH)	Approx Weight
PECS 20	2	1 HP	415 v /50 Hz	2	850 x 2125 x 1250	400 kg
PECS 40	4	1.5 HP	415 v /50 Hz	4	850 X 2125 X 1850	650 kg
PECS 60	6	2 HP	415 v /50 Hz	6	850 X 2125 X 2465	900 kg



Rotary Separator

Application

This machine is designed for separation of broken rice as its diameter wise with rotary motion. This machine is equipped with 5 trays and 5 outputs for differential diameters of rice like small broken, medium broken, big broken and head rice.

Salient Features


- Self cleaning mechanism provided to avoid clogging of screens.
- Extra sieves are provided for processing of all types of rice.
- Heavy rigid structure for noiseless and trouble free operations.

Suitable For

Raw Rice, Steamed Rice, Parboiled Rice, Basmati Rice

Specifications

Model	Capacity	Power Required	Voltage	No. of Sieves	Overall dimension (LxBxH)	Approx Weight
PERT-3T	2 - 3 TPH	Motor-2hp/1.5kw-960RPM	415V / 50 HZ	5	1250x1450x1500	700 KG
PERT-6T	4 - 6 TPH	Motor-2hp/1.5kw-960RPM	415V / 50 HZ	5	1250x1450x1700	760 KG




Bucket Elevator

Application

Highly Efficient SHINER Elevators are used for conveying the material vertically to next machine.

Salient Features


- Both side powder coated with salt spray test sustenance for more than 500 hours.
- Folded design and high tensile hardware used for assembly.
- Motor used ABB or Equivalent . Gearbox – Bonfiglioli / PBL / Premium.
- Heavy duty casting pulley at Top and specially designed fabricated pulley used at bottom to avoid broken generation.
- Sturdy rigid and heavy duty construction. Perfect alignment ensures zero wear and tear and more life.
- Option for air aspiration in the head of the elevator.
- Available in 2 models - Silver & Platinum.



Pulses Milling Machinery


Vibro Separator

Being a well established company of this industry, we are offering a wide range of Vibro Separator. This product is broadly used to remove coarse impurities like large kernels, string, straw, wood, stones or clumps of soil, as well as fine impurities such as sand and breakage from the grain. Our product is widely demanded in domestic as well as international markets. We offer this separator in varied sizes and designs.



Aspiration Channel

Incorporating knowledge with effective machinery, we are able to manufacture, supply and export Aspiration Channel. These products are used in different flour mills for cleaning food grains. Owing to their light impurity material separation capacity, these products provide high performance without any errors. These products can be operated without electrical power or motor without any hassle. Aspiration Channel is packed in special packaging material in order to determine its secure transit.



Reel Centrifugal Machine

To remove the various impurities. Also used for grading purpose. We are manufacturing machine with latest and sophisticated technology. This is a sieve separator widely supplied to flour and dall milling industry. Used for pre-cleaning and grading and separating jute twine cutting rugs, the Reel Machine separates out big size materials like chalk, husk and stones through sieve. Our machines can be available by customers in different capacities at cost effective price.



Destoner

Used for separating stones from a continuous material stream. Reliable removal of high-density impurities such as stones. The D-STONER are used for separation of small stones and glass or metal particles from the grain mass in dry process based on different specific weights of the admixtures and grain. They are applied in flour mill cleaning sections.



Magnetic Destoner



Type	Destoner-Vibratory Air screen cleaner Electric motor operated
Type of prime mover	Electric motor
Recommended power, kW	Destoner: 0.75 kW (1 hp, three phase), Bucket elevator: 0.37 kW (0.5 hp, three phase)
Type of drive	Belt and pulley drive

Wooden Cleaner



Emery Roll

We are a prominent manufacturer, supplier and exporter of excellent quality Emery roll machine. This Machine can effectively remove the husk of Gram, wheat, pulses . Our superior quality emery rolls are made with M.S and SS 304. It runs on two ball bearings. Superior design ensures that there is no breakage of the bearing.



Grain Mill (HZ. Chakki)

Being a quality driven organization, we are actively committed towards offering precision-engineered Atta Chakki. To keep in mind the various needs of the clients, our offered chakki is widely used for grinding grains. The provided chakki is precisely engineered making use of premium class components and innovative technology under the stern supervision of diligent professionals. The provided chakki is duly inspected on numerous parameters of quality to ensure its functionality. With the valuable assistance of skilled team of professionals, we are offering an extensive range of high quality Horizontal Stone Chakki. Our provided stone chakki is distinguished among customers for its less maintenance. We are offering this stone chakki on diverse specifications as per the variegated demand of customers. This stone chakki is designed utilizing the best quality material and advanced technology.



Polishing Machine



APPLICATION

We are instrumental in offering a magnificent and comprehensive range of Polishing Machine. The offered products are basically used to polish corroded surface of Pulses, Wheat.

Salient Features

- These products are widely acknowledged for their peerless and marvelous attributes such as longer functional life and sturdiness.
- Powder coated

We have made these products available in different sizes, specification and sizes so as to cater to the divergent demands of the clients.

PARAMETERS

MODAL NO.	SIZE	MOTOR KW / HP	CAPACITY KG P/H
PEPM-0.75 TPH	14*45*2.5	20 HP	700 - 800
PEPM-1.0 TPH	14*48*2.5	25 HP	1000 -1100
PEPM-1.5TPH	16*48*2.5	30 HP	1400 - 1500
PEPM-2.0 TPH	18*48*2.5	40 HP	1800 - 2000

Fatka Machine

This machine is used to separate the cover of pulse. We are engaged in offering a wide range of **Fatka Machine** to our clients. The offered range of product is made from high grade quality raw material to meet the international quality standard.




Aspiration Channel

Being a leading firm in this industry, we are engaged in offering a high quality range of Aspiration Channel. The provided channel is manufactured using optimum quality components as per set quality standards with the aid of ultra-modern techniques by our ingenious professionals. This channel is widely used in grain cleaning applications for separating lighter particles from granular products. Apart from this, our clients can avail the offered Aspiration Channel at competitive prices from us.



Impact Pulveriser

An extra heavily constructed machine designed to pulverize even rocks and minerals of medium hardness. Fineness, ranging among 100 meshes to 300 meshes (150 to 50 microns) and in some cases even 500 meshes.



Color Sorter For Rice, Pulses & All Other Food Grain Products




Using Independent
SMC EJECTOR
made in Japan



Toshiba high-end
4096 PIXELS CCD
Full Color Camera



Using imported
SMC AIR FILTERS
made in Japan




Patented design of
TFT TOUCH SCREEN
for High sensitivity

Other Accessories



Blower



Airlock



Cyclone



Magnet



Slide Gate



Online Metal Detector



GI Ducting & Pipe Line



Conveyor

GRAMS Rice & Pulses Analyzer



Measuring rice samples is not time consuming anymore. Just a few clicks and your job is done. Complete the process in two easy steps:

1. Spread the rice on flatbed scanner
 2. Click on "Measure" button
- Measurement is DONE

Quick

Easy

Accurate

Grams is a revolutionary rice analyzer software based on patented rice segmentation techniques and innovative image processing algorithms. The software captures high resolution image from a flatbed scanner, remove image noise using color pipeline, performs auto-calibration and calculates shape and color statistics for each rice particle using our innovative segmentation algorithms.

Features

- Average length
- Average width
- Aspect ratio
- Whiteness Index
- Average color parameter
- Chalky Grains
- Broken grains
- Reddish grains
- Greenish grains
- Damaged / Discolored

Advantages

- 99% accuracy
- Record keeping is easy
- Print the analyses
- Very easy to use
- Save time
- Save manpower cost
- Improve milling process
- Increase your revenues

Our End Users



Rice, Pulses, Wheat & Other Seeds Plant Laboratory Equipment



**Kett Moisture Meter
PM - 650**



**Kett Moisture Meter
PM - 450**



**Kett Moisture Meter
FV - 209**



**Kett NIR Bran
Oil Analyzer**



**Kett Whiteness
Tester C - 600**



**Kett Infrared
Moisture Analyzer**



**Kett Single Grain
Moisture Tester**



**Kett Rod Type
Moisture Meter HB 610**




**Moisture
Meter OGA**



**Universal
Moisture Meter**




**Shiner Lab
Husker**



**Shiner Lab
Polisher**



**Shiner LTJM
Yield Tester**



**Shiner Lab
Grader**



**Shiner
Lab Dryer**



**Lab Paddy
Cleaner**



**Vernier Caliper
Mitutoyo (Japan)**



FRK Scanner



**Shiner Crackness
Board**



**Shiner Weighing
Scale 0.01g**



**Electronic
Pocket Scale**



**Electronic Note
Book Scale**



**Shiner Automatic
Sample Divider**



**Shiner Sample
Divider**



Wooden Sieves



Brass Sieve



**Cooking Plates
Black & White**



**Shiner Hot
Air Oven**



**Bulk Density
Apparatus**



**Digital Colony
Counter**



**Sieve Shaker
(Table Top)**



Digital PH Meter



**Bacteriological
Incubator**



**UV-VIS
Spectrophotometer**




**Sampling
Probs**



**Shiner
Broken Sieves**

Turnkey Projects for Rice, Pulses, Seeds, Flour & Spices Milling & Processing Plant Machinery

Complete Plant Engineering & Erection Solution



Storage Silos

Packing Machinery (10 grams to 1000 Kgs)

Grain Dryer



All Kind Of Rice & Pulses Milling Machinery Spare Parts



Whitener Feed Screw

Rice Grader Jali

Chamber Sieves

Silky Bolts

Whitener Screens

Silky Milling Rolls

Screw Feeder

Feed Screw

Chamber Sieves

Silky Bolts

Whitener Screens


Whitener Bottom Ring

Milling Rolls

Satake, Milltech & Buhler Machinery Spares

SILKY POLISHER SIEVES for Rice Polishing Machines

Half Octagonal Sieves giving Higher Life.
Hence Low Maintenance cost.
Stainless Steel Construction With
Mounting Holes and Ready for Installation.




RICE WHITENER SIEVES for Rice Whitener Machines

Half Round Sieves giving Higher Life.
Hence Low Maintenance cost.
Stainless Steel Construction With Mounting
Holes and Ready for Installation.

SCREENS INDENT Cylinders for Rice Length Grader Machines

Better Performance due to Higher Pocket
Density & Off-Set Indents.





Wire Type Thickness Grader Screen for Rice Grading

Advantages over conventional old technology slotted sieves for Thickness Grading of Rice:

- **Higher Open area** compared to slotted perforation screens giving high throughput with continuous slot opening throughout circumferential length.
- **Self Supporting Structure** of stainless steel material giving longer life.
- **Top quality screens** as per international standards.
- Can be **readily fitted to your existing grader** machine of Buhler & Carterday Make.
- Most **economic price** for the screens.

Wide Range of Rice Mill Machinery Products

Milling Rolls all Models, BUHLER, DRPE, DRPA, DRPF, SATAKE, MILLTEC, Feeder Screw Whitener Screw 6 Stone, BSBP, VTA-5,10,15, Whitener Sleeves, Milling Machine Sleeves, Milling Machine Sleeves, Whitener Brakes-6 Stone, BSBP, VTA-5,10,15, Online Magnate, Sliding Gate Mixing Chamber, Silky Jali Frame, Grader Pulley, Grader Machine Part, Sizer Machine Parts, Husker Coupling, Satake, Milltec, Buhler, Water Spray Misting Nozzle used in Silky Polisher etc.



Silky Machines
Screw Feeders



Mixing Chamber or
Inlet for Satake,
Buhler & Milltec



Coupling



SATAKE Milling Roll
Milltec, Buhler



Satake Whitener
VTA 5,10,12 Bottom Ring



Whitener Feed
Screw




Whitener
Bottom Ring



Silky Machine Screen
Frame



Satake Whitener
Hubs Feed Screw
VAT-05 10,15



Husker
Rubber Roll



Milltec Silky
Bolt



Air Lock



Water Spray
Nozzle



De-Stoner Quill



Whitener
Shaft



Grader Rice Jali

Our Client List

1. KRBL INDIA LTD.
2. DAWAAT FOODS
3. GRM OVERSEAS LTD.
4. GRM FOODS PRIVATE LIMITED
5. TANNA AGRO IMPEX PRIVATE LIMITED
6. ADANI WILMAR
7. KS FOODS PRIVATE LIMITED
8. BHARAT INDUSTRY ENTERPRISES LIMITED
9. GALAXY FOODS PRIVATE LIMITED
10. LEKH RAJ NARENDER KUMAR
11. AMIRCHAND JAGDISH KUMAR
12. AROMA AGROTECH PRIVATE LIMITED
13. ATC FOODS PRIVATE LIMITED
14. VEER RICE MILL
15. DD INTERNATIONAL PRIVATE LIMITED
16. LAMA RICE
17. AL MAHA FOODS
18. JASMER FOODS PRIVATE LIMITED
19. NANDI INTERNATIONAL PRIVATE LIMITED
20. GD OVERSEAS LTD.
21. AMBA AGRO PRIVATE LIMITED
22. GAUTAM GRAIN TRADING LLC
23. JRM FOODS PRIVATE LIMITED
24. GHANSHYAM BROTHER PRIVATE LIMITED
25. MIDAS GROUP
26. BINDAAS GROUP
27. GEE AGRO FOODS
28. SM RICE LAND
29. SK BROTHER
30. PATRAN FOODS PRIVATE LIMITED
31. SUKHBIR AGRI FOODS LTD.
32. AROHAL FOODS PRIVATE LIMITED
33. SPOUNG ENTERPRISES PRIVATE LIMITED

34. CHAMAN LAL SETIA LTD.
35. AVI FOODS
36. AMAR SINGH CAHWAL WALA
37. PRITITHI ORGANIC FOODS PRIVATE LIMITED
38. MOI GROUP
39. AARUSH FOODS PRIVATE LIMITED
40. QUALITY FOODS PRIVATE LIMITED
41. HARYANA RICE MILL
42. KANHIYA INDUSTRIES PRIVATE LIMITED
43. SAGAR GROUP
44. MAJESTIC BASMATI
45. EXPRESS NUTRIMENTS FOODS
46. SUNSTAR OVERSEAS PRIVATE LIMITED
47. DUNAR FOODS
48. INDIAN TREAT LTD
49. SIFTY RICE PRIVATE LIMITED
50. VEETEE FINE FOODS

OUR INTERNATIONAL CLIENTS

1. STALLION GROUP, AFRICA
2. FBB RICE MILL, KANO
3. PREMIUM RICE MILL INDUSTRIES SARL, BENIN
4. PLATINUM INCORPORATION, UAE
5. BANGLADESH EDIBAL OIL LTD., DHAKA
6. MAHMOOD AND SONS, UAE
7. VEETEE FINE FOOD, UK
8. SAGAD FARMS LIMITED, RANO
9. GAUTAM GRAIN LLC, UAE
10. MASTER FOOD, UK

**More than 10,000+ Satisfied Clients
in India & Overseas**

Client Testimonials



“From service to sales and the quality, Shiner Machinery keep all their products efficient, accurate and easy to handle. The products like moisture meters and the rice scanner are the best for the rice industry to get quick and accurate results. The top notch quality and technology!!!”

Mr. Arun Gupta

Jt. Managing Director, KRBL INDIA LTD.



“Shiner Machinery ease the rice industry problems by providing the world class technology of the rice scanner and other lab equipment's. It saves a lot of time and help to increase the revenue.”

Mr. Dimple Garg

Managing Director, AMBA AGRO FOODS PVT. LTD.



“We are running multiple Rice Scanners since five years. We have chosen SHINER because of good service and better-quality product.”

Mr. Sanjeev Uppal

Operation Head, LT FOODS LTD.



“Shiner machinery has the world class technology and quality product for the rice industry. Rice scanner is the best product to know the exact average length , mix broken yield and even the whiteness index of the rice. THANK YOU SHINER MACHINERY FOR ALL LAB EQUIPMENT'S AND RICE SCANNER!!!!”

Mr. Raghav Gupta

Managing Director, MIDAS GROUP LTD.



“I felt like I was talking to the right person to handle my all problem! Service should be friendly, helpful, and competent, and your customer service was just that! Thanks for all the lab equipment's and rice scanner.”

Mr. Lavish Mittal

Managing Director, NANDI INTERNATIONAL PVT. LTD.



“Thanks for introducing the world class technology of Rice Scanner in our company. It is the wonderful product to have check on rice quality that we buying and selling in the market.”

Mr. Yanshil Garg

Managing Director, GRM FOODS PVT. LTD.

Our Other Verticals

Cleaning & Grading Sections for all types of Grains and Spices

Atta Chakki Plant

Electrical Cabel

Seed Plant

Flour Plant

Pulse Plant

Agriculture Lab Equipments

LT Panel


Co-Generation Plants

All grains Drying Section

Trasformer & Automation

MCC Panel

Our Installed Projects



SHINER MACHINERY PVT. LTD.

AN ISO 9001:2015 | ISO 14001:2015 | ISO 45001:2018 CERTIFIED CO.



+91 92155 20085 | +91 90443 20555



contact@shinermachinery.com | sales@shinermachinery.com



Office no. 2, 1st Floor, Horizon Exotica, New D P Rd,
Haware City, Thane West, Thane, Maharashtra 400615
Ph. 022-44822350



Palm Enclave, Steet No.-3, Near Hertage lawn,
Behind Sec 04, Karnal - 132001, Haryana, INDIA
Ph. 0184-3550763



Jajru Road, Near Sector-59, Ballabgarh
Faridabad, Haryana-121004, INDIA

www.shinermachinery.com

Follow us on :



Scan here
for more info.